



## Wetting dispersant

### Better BD-8655

#### *Product Description:*

**Better BD-8655** It is a widely applicable wetting and dispersing agent, suitable for general color pastes and solvent based formulations. It has a certain stabilizing effect on aluminum powder and improves the compatibility between color pastes and solvent based coatings. This product does not contain solvents and is suitable for UV cured coatings and solvent based high solid content coatings. It can also be used for water-based coatings, diluted with water in a ratio of 1:1~1:3 before use, and the pH value can be adjusted later according to the requirements of the formula.

#### *Product specifications:*

Appearance	Light yellow to yellow transparent liquid
Density (g/mL)	1.05
viscosity (25°C, mPa.s)	<3000
PH value	1.5
Active substances, (%)	100

#### *Application scope and usage:*

**Better BD-8655** Suitable for use in UV cured coatings and solvent based high solid content coatings, it is added to the grinding material before dispersion. The amount of addition is distinguished by different pigments as follows:

- Inorganic pigment content 2~15%
- Organic pigment content 5~35%

For the bubbles generated by grinding dispersion, Better BWP-5810 defoamer 0.1-1.0% can be added to the grinding abrasive

#### *Storage packaging:*

All the information above is based on latest empirical data obtained at BETTER laboratory and is not to be used for certifying the suitability of the product. Users are advised to test the product in their own system before purchase.

---

25kg/ bucket.

Store in a cool and ventilated place for one year under normal storage conditions.

***Heavy metal content:***

content	Sb	As	Ba	Cd	Cr	Pb	Hg	Se	Zn
ppm	<5	<2.5	<10	<5	<5	<5	<5	<5	<10